

## **CLAIMS**

**Please amend the claims as follows:**

1. (canceled)
2. (previously presented) The method of claim 28, wherein the data page is received over a wireless connection.
3. (previously presented) The method of claim 28, wherein the second orientation is a ninety-degree rotation of the first orientation.
4. (previously presented) The method of claim 28, wherein the first dimension and second dimension are orthogonal.
5. (previously presented) The method of claim 28, wherein:
  - the data page is initially displayed by the portable device in one of the first and second orientations;
  - the method further comprises the portable device redisplaying the data page in the other of the first and second orientations in response to a user input.
6. (previously presented) The method of claim 28, wherein:
  - the data page is initially displayed by the portable device in one of the first and second orientations;
  - the method further comprises the portable device automatically redisplaying the data page in the other of the first and second orientations after a preset duration.
7. (previously presented) The method of claim 28, wherein in the portable device is a wireless telephone.

8. (previously presented) The method of claim 28, wherein the portable device is a personal digital assistant.

9.-10. (canceled)

11. (currently amended) The portable data processing system of claim 29, wherein:  
the portable data processing system further includes a wireless connection interface; and  
the data page is received by the portable data processing system over a wireless connection via the wireless connection interface.

12. (previously presented) The portable data processing system of claim 29, wherein the second orientation is a ninety-degree rotation of the first orientation.

13. (canceled)

14. (previously presented) The portable data processing system of claim 29, wherein:  
the portable data processing system initially displays the data page in one of the first and second orientations; and  
the instructions further cause the data processing system to redisplay the data page in the other of the first and second orientations in response to a user input.

15. (previously presented) The portable data processing system of claim 29, wherein:  
the data page is initially displayed by the portable data processing system in one of the first and second orientations;  
the instructions further cause the data processing system to automatically redisplay the data page in the other of the first and second orientations after a preset duration.

16. (previously presented) The data processing system of claim 29, wherein the portable data processing system is a wireless telephone.

17. (previously presented) The data processing system of claim 29, wherein the portable data processing system is a personal digital assistant.

18-19. (canceled)

20. (previously presented) The computer program product of claim 30, wherein the data page is received over a wireless connection.

21. (previously presented) The computer program product of claim 30, wherein the second orientation is a ninety-degree rotation of the first orientation.

22. (canceled)

23. (previously presented) The computer program product of claim 30, wherein:

the data page is initially displayed by the portable device in one of the first and second orientations;

the computer program product further includes instructions that cause the portable data processing device to redisplay the data page in the other of the first and second orientations in response to a user input.

24. (previously presented) The computer program product of claim 30, wherein:

the data page is initially displayed by the portable device in one of the first and second orientations;

the computer program product further includes instructions that cause the portable data processing device to automatically redisplay the data page in the other of the first and second orientations after a preset duration.

25. (previously presented) The computer program product of claim 30, wherein the portable device is a wireless telephone.

26. (previously presented) The computer program product of claim 30, wherein the portable device is a personal digital assistant.

27. (canceled)

28. (currently amended) A method for displaying data on a portable device having a display that is significantly larger in a first dimension than in a second dimension, said method comprising the steps of:

receiving a data page in the portable device;

the portable device determining, by analyzing the data page, ~~to determine~~ an orientation for presentation of the data page relative to the first and second dimensions of the display; and

the portable device automatically displaying the data page in a first orientation within the display in response to determining the first orientation and the portable device automatically displaying the data page in a different second orientation within the display in response to determining the second orientation.

29. (currently amended) A portable data processing system, comprising:

a processor;

memory coupled to the processor;

a display that is significantly larger in a first dimension than in a second dimension; and

instructions in the memory that, when processed by the processor, cause the portable data processing system to:

receive a data page in the portable data processing system;

determine, by analyzing ~~analyze~~ the data page, ~~to determine~~ an orientation for presentation of the data page relative to the first and second dimensions of the display; and

automatically display the data page in a first orientation within the display in response to determining the first orientation and automatically display the data page in a different second orientation within the display in response to determining the second orientation.

30. (currently amended) A computer program product for use within a portable data processing device having a display that is significantly larger in a first dimension than in a second dimension, said computer program product comprising:

a computer-readable storage medium;

instructions embodied within the storage medium that cause the portable data processing device to receive a data page within the portable data processing device;

instructions embodied within the storage medium that cause the portable data processing device to ~~analyze~~ determine, by analyzing the data page, ~~to determine~~ an orientation for presentation of the data page relative to the first and second dimensions of the display; and

instructions embodied within the storage medium that cause the portable data processing device to automatically display the data page in a first orientation within the display in response to determining the first orientation and to automatically display the data page in a different second orientation within the display in response to determining the second orientation.

31. (previously presented) The method of Claim 28, wherein said analyzing comprises the portable device determining a line width of textual content of the data page.

32. (currently amended) The portable data processing system of Claim 29, wherein ~~said instructions further cause the data processing system to analyze~~ analyzing the data page includes ~~by determining~~ a line width of textual content of the data page.

33. (currently amended) The computer program product of Claim 30, wherein ~~said instructions for causing the portable data processing device to analyze comprise instructions for causing the portable data processing device to determine~~ analyzing the data page includes determining a line width of textual content of the data page.

34. (new) The method of Claim 28, wherein the data page is a web page.

35. (new) A method of displaying data on a portable device having a display, the method comprising:

in response to receiving a data page in the portable device, the portable device automatically determining, based on a dimension of the data page, an orientation of presentation of the data page relative to orthogonal first and second dimensions of the display; and

the portable device automatically displaying the data page in a first orientation within the display in response to determining the first orientation and the portable device automatically displaying the data page in a different second orientation within the display in response to determining the second orientation.